

Seiji Fujimoto

Publication list

Department of Astronomy
The University of Texas at Austin
☎ (+1) 737 802 2551
✉ fujimoto@utexas.edu

Total citation = 4176, H-index = 34 (as of Feb. 7 2023)

First author

Journal Article (8 published, 4 submitted, 450 citation)

- 12 **Fujimoto, S., Kohno, K., Ouchi, M., et al.**, *ALMA Lensing Cluster Survey: Deep 1.2 mm Number Counts and Infrared Luminosity Functions at $z \approx 1 - 8$* , [arXiv:2303.01658](https://arxiv.org/abs/2303.01658), submitted to ApJS, 2023
- 11 **Fujimoto, S., Arrabal Halo, P., Dickinson, M., et al.**, *CEERS Spectroscopic Confirmation of NIRCам-Selected $z \gtrsim 8$ Galaxy Candidates with JWST/NIRSpec: Initial Characterization of their Properties*, [arXiv:2301.09482](https://arxiv.org/abs/2301.09482), submitted to ApJL, 2023
- 10 **Fujimoto, S., Ouchi, M., Nakajima, K., et al.**, *JWST and ALMA Multiple-Line Study in and around a Galaxy at $z = 8.496$: Optical to FIR Line Ratios and the Onset of an Outflow Promoting Ionizing Photon Escape*, [arXiv:2212.06863](https://arxiv.org/abs/2212.06863), submitted to ApJ, 2022
- 9 **Fujimoto, S., Finkelstein, S., Burgarella, D., et al.**, *ALMA FIR View of Ultra High-redshift Galaxy Candidates at $z \sim 11-17$: Blue Monsters or Low- z Red Interlopers?*, [arXiv:2211.03896](https://arxiv.org/abs/2211.03896), submitted to ApJ, 2022
- 8 **Fujimoto, S., Brammer, G., Watson, D., et al.**, *A dusty, compact object bridging galaxies and quasars at cosmic dawn*, [Nature](https://doi.org/10.1038/s41586-022-03000-0), **604**, 261, 2022
- 7 **Fujimoto, S., Oguri, M., Brammer, G., et al.**, *ALMA Lensing Cluster Survey: Bright [C II] 158 μ m Lines from a Multiply Imaged Sub- L^* Galaxy at $z = 6.0719$* , [ApJ](https://doi.org/10.1086/91199), **911**, 99, 20, 2021
- 6 **Fujimoto, S., Silverman, J. D., Bethermin, M., et al.**, *The ALPINE-ALMA [C II] Survey: Size of Individual Star-forming Galaxies at $z = 4-6$ and Their Extended Halo Structure*, [ApJ](https://doi.org/10.1086/90001), **900**, 1, 2020
- 5 **Fujimoto, S., Oguri, M., Nagao, T., et al.**, *Truth or Delusion? A Possible Gravitational Lensing Interpretation of the Ultraluminous Quasar SDSS J010013.02+280225.8 at $z = 6.30$* , [ApJ](https://doi.org/10.1086/90164), **891**, 64, 8, 2020
- 4 **Fujimoto, S., Ouchi, M., Ferrara, A., et al.**, *First Identification of 10 kpc [C II] 158 μ m Halos around Star-forming Galaxies at $z = 5 - 7$* , [ApJ](https://doi.org/10.1086/90164), **887**, 107, 17, 2019
- 3 **Fujimoto, S., Ouchi, M., Kohno, K., et al.**, *ALMA 26 Arcmin² Survey of GOODS-S at One Millimeter (ASAGAO): Average Morphology of High- z Dusty Star-forming Galaxies in an Exponential Disk ($n \approx 1$)*, [ApJ](https://doi.org/10.1086/90164), **861**, 7, 12, 2018

2 **Fujimoto, S., Ouchi, M., Shibuya, T., et al.**, *Demonstrating a New Census of Infrared Galaxies with ALMA (DANCING-ALMA). I. FIR Size and Luminosity Relation at $z = 0 - 6$ Revealed with 1034 ALMA Sources*, [ApJ](#), **850**, 83, 21, 2017

1 **Fujimoto, S., Ouchi, M., Ono, Y., et al.**, *ALMA Census of Faint 1.2 mm Sources Down to ~ 0.02 mJy: Extragalactic Background Light and Dust-poor, High- z Galaxies*, [ApJS](#), **222**, 1, 28, 2016

Book **(1 published)**

1 **Fujimoto, S.**, *Demographics of the Cold Universe with ALMA: From Interstellar and Circumgalactic Media to Cosmic Structures*, [Springer Thesis](#)

Proceedings **(2 published)**

2 **Fujimoto, S.**, *Cold Molecular Gas Halo at $z \sim 6$ with ngVLA*, [ngVLA Science Memo Series](#), G002

1 **Fujimoto, S., Ouchi, M., Ono, Y., et al.**, *Resolving the Extragalactic Background Light with Multi-field Deep ALMA Data*, [ASPCS](#), **499**, 21, 2015

Co-author

Journal Article **(76 published, 19 submitted)**

95 **Kokorev, V., Brammer, G., Fujimoto, S., et al.**, *ALMA Lensing Cluster Survey: Hubble Space Telescope and Spitzer Photometry of 33 Lensed Fields Built with CHARGE*, [ApJS](#), **263**, 38, 2022

94 **Finkelstein, S. L., Bagley, M. B., Haro, P. A., et al.**, *A Long Time Ago in a Galaxy Far, Far Away: A Candidate $z \sim 12$ Galaxy in Early JWST CEERS Imaging*, [ApJ](#), **940**, L55, 2022

93 **Bezanson, R., Labbe, I., Whitaker, K. E., et al.**, *The JWST UNCOVER Treasury survey: Ultradeep NIRSpect and NIRCcam Observations before the Epoch of Reionization*, [arXiv e-prints](#), [arXiv:2212.04026](#), 2022

92 **Ding, X., Onoue, M., Silverman, J. D., et al.**, *First detections of stellar light from quasar host galaxies at $z > 6$* , [arXiv e-prints](#), [arXiv:2211.14329](#), 2022

91 **Killi, M., Watson, D., Fujimoto, S., et al.**, *A solar metallicity galaxy at $z > 7$? Detection of the $[\text{N II}]$ 122 μm and $[\text{O III}]$ 52 μm lines*, [arXiv e-prints](#), [arXiv:2211.01424](#), 2022

90 **Welch, B., Coe, D., Zackrisson, E., et al.**, *JWST Imaging of Earendel, the Extremely Magnified Star at Redshift $z = 6.2$* , [ApJ](#), **940**, L1, 2022

89 **Meena, A. K., Zitrin, A., Jiménez-Teja, Y., et al.**, *Two lensed star candidates at $z \simeq 4.8$ behind the galaxy cluster MACS J0647.7+7015*, [arXiv e-prints](#), [arXiv:2211.13334](#), 2022

88 **Vanzella, E., Claeysens, A., Welch, B., et al.**, *JWST/NIRCcam Probes Young Star Clusters in the Reionization Era Sunrise Arc*, [arXiv e-prints](#), [arXiv:2211.09839](#), 2022

- 87 **Ono, Y., Fujimoto, S., Harikane, Y., et al.**, *ALMA Observations for CO Emission from Luminous Lyman-break Galaxies at $z = 6.0293$ - 6.2037* , [arXiv e-prints](#), [arXiv:2211.00793](#), 2022
- 86 **Casey, C. M., Kartaltepe, J. S., Drakos, N. E., et al.**, *COSMOS-Web: An Overview of the JWST Cosmic Origins Survey*, [arXiv e-prints](#), [arXiv:2211.07865](#), 2022
- 85 **Finkelstein, S. L., Bagley, M. B., Ferguson, H. C., et al.**, *CEERS Key Paper I: An Early Look into the First 500 Myr of Galaxy Formation with JWST*, [arXiv e-prints](#), [arXiv:2211.05792](#), 2022
- 84 **Yoon, I., Carilli, C. L., Fujimoto, S., et al.**, *ALMA Observation of a $z \gtrsim 10$ Galaxy Candidate Discovered with JWST*, [arXiv e-prints](#), [arXiv:2210.08413](#), 2022
- 83 **Hsiao, T. Y.-Y., Coe, D., Abdurro'uf, Whitler, et al.**, *JWST reveals a possible $z \sim 11$ galaxy merger in triply-lensed MACS0647-JD*, [arXiv e-prints](#), [arXiv:2210.14123](#), 2022
- 82 **Brinch, M., Greve, T. R., Weaver, J. R., et al.**, *COSMOS2020: Identification of High- z Protocluster Candidates in COSMOS*, [arXiv e-prints](#), [arXiv:2210.17334](#), 2022
- 81 **Bradley, L. D., Coe, D., Brammer, G., et al.**, *High-Redshift Galaxy Candidates at $z = 9$ - 13 as Revealed by JWST Observations of WHL0137-08*, [arXiv e-prints](#), [arXiv:2210.01777](#), 2022
- 80 **Fudamoto, Y., Smit, R., Bowler, R. A. A., et al.**, *The ALMA REBELS Survey: Average [C II] $158 \mu\text{m}$ Sizes of Star-forming Galaxies from z 7 to z 4*, *ApJ*, 934, 144, 2022
- 79 **Kocevski, D. D., Barro, G., McGrath, E. J., et al.**, *CEERS Key Paper III: The Resolved Host Properties of AGN at $3 < z < 5$ with JWST*, [arXiv e-prints](#), [arXiv:2208.14480](#), 2022
- 78 **Burgarella, D., Bogdanoska, J., Nanni, A., et al.**, *The ALMA-ALPINE [CII] survey. The star formation history and the dust emission of star-forming galaxies at $4.5 < z < 6.2$* , *A&A*, 664, A73, 2022
- 77 **Zavala, J. A., Buat, V., Casey, C. M., et al.**, *A dusty starburst masquerading as an ultra-high redshift galaxy in JWST CEERS observations*, [arXiv e-prints](#), [arXiv:2208.01816](#), 2022
- 76 **Akins, H. B., Fujimoto, S., Finlator, K., et al.**, *ALMA Reveals Extended Cool Gas and Hot Ionized Outflows in a Typical Star-forming Galaxy at $Z = 7.13$* , *ApJ*, 934, 64, 2022
- 75 **Welch, B., Coe, D., Zitrin, A., et al.**, *RELICS: Small-scale Star Formation in Lensed Galaxies at $z = 6 - 10$* , [arXiv e-prints](#), [arXiv:2207.03532](#), 2022
- 74 **Trump, J. R., Arrabal Haro, P., Simons, R. C., et al.**, *The Physical Conditions of Emission-Line Galaxies at Cosmic Dawn from JWST/NIRSpec Spectroscopy in the SMACS 0723 Early Release Observations*, [arXiv e-prints](#), [arXiv:2207.12388](#), 2022
- 73 **Sun, F., Egami, E., Fujimoto, S., et al.**, *ALMA Lensing Cluster Survey: ALMA-Herschel Joint Study of Lensed Dusty Star-forming Galaxies across $z \simeq 0.5 - 6$* , *ApJ*, 932, 77, 2022

- 72 **Isobe, Y., Ouchi, M., Nakajima, K., et al.**, *EMPRESS. IX. Extremely Metal-Poor Galaxies are Very Gas-Rich Dispersion-Dominated Systems: Will JWST Witness Gaseous Turbulent High-z Primordial Galaxies?*, [arXiv e-prints](#), [arXiv:2206.04709](#), 2022
- 71 **Xu, Y., Ouchi, M., Rauch, M., et al.**, *EMPRESS. VI. Outflows Investigated in Low-mass Galaxies: Weak Feedback in Low-mass Galaxies?*, [ApJ](#), **929**, 134, 2022
- 70 **Romano, M., Morselli, L., Cassata, P., et al.**, *The ALPINE-ALMA [CII] survey: The population of [CII]-undetected galaxies and their role in the $L_{\text{SUB}}[\text{CII}]$ -SFR relation*, [A&A](#), **660**, A14, 2022
- 69 **Valentino, F., Brammer, G., Fujimoto, S., et al.**, *The Archival Discovery of a Strong Ly α and [C II] Emitter at $z = 7.677$* , [ApJ](#), **929**, L9, 2022
- 68 **Harikane, Y., Ono, Y., Ouchi, M., et al.**, *GOLDRUSH. IV. Luminosity Functions and Clustering Revealed with 4,000,000 Galaxies at $z = 2-7$: Galaxy-AGN Transition, Star Formation Efficiency, and Implication for Evolution at $z > 10$* , [ApJS](#), **259**, 20, 2022
- 67 **Hashimoto, T., Inoue, A. K., Sugahara, Y., et al.**, *Big Three Dragons. III: A Study of Molecular Gas in a Bright Lyman-Break Galaxy at $z = 7.15$ with ALMA*, [arXiv e-prints](#), [arXiv:2203.01345](#), 2022
- 66 **Matsumoto, A., Ouchi, M., Nakajima, K., et al.**, *EMPRESS. VIII. A New Determination of Primordial He Abundance with Extremely Metal-Poor Galaxies: A Suggestion of the Lepton Asymmetry and Implications for the Hubble Tension*, [arXiv e-prints](#), [arXiv:2203.09617](#), 2022
- 65 **Manning, S. M., Casey, C. M., Zavala, J. A., et al.**, *Characterization of Two 2 mm detected Optically Obscured Dusty Star-forming Galaxies*, [ApJ](#), **925**, 23, 2022
- 64 **Kashiwagi, Y., Inoue, A. K., Isobe, Y., et al.**, *Subaru/FOCAS IFU revealed the metallicity gradient of a local extremely metal-poor galaxy*, [PASJ](#), **73**, 1631, 2021
- 63 **Bakx, T. J. L. C., Sommovigo, L., Carniani, S., et al.**, *Accurate dust temperature determination in a $z = 7.13$ galaxy*, [MNRAS](#), **508**, L58-L63, 2021
- 62 **Jones, G. C., Vergani, D., Romano, M., et al.**, *The ALPINE-ALMA [C II] Survey: kinematic diversity and rotation in massive star-forming galaxies at $z = 4.4 - 5.9$* , [MNRAS](#), **507**, 3540-3563, 24, 2021
- 61 **Casey, C. M., Zavala, J. A., Manning, S. M., et al.**, *Mapping Obscuration to Reionization with ALMA (MORA): 2 mm Efficiently Selects the Highest-redshift Obscured Galaxies*, [ApJ](#), **923**, 215, 2021
- 60 **Sun, F., Egami, E., Pérez-González, P. G., et al.**, *Extensive Lensing Survey of Optical and Near-infrared Dark Objects (El Sonido): HST H-faint Galaxies behind 101 Lensing Clusters*, [ApJ](#), **922**, 114, 2021
- 59 **Onoue, M., Matsuoka, Y., Kashikawa, N., et al.**, *Subaru High-z Exploration of Low-luminosity Quasars (SHELLQs). XIV. A Candidate Type II Quasar at $z = 6.1292$* , [ApJ](#), **919**, 61, 11, 2021

- 58 **Romano, M., Cassata, P., Morselli, L., et al.**, *The ALPINE-ALMA [CII] survey. The contribution of major mergers to the galaxy mass assembly at $z \sim 5$* , [A&A, 653, A111, 31, 2021](#)
- 57 **Isobe, Y., Ouchi, M., Kojima, T., et al.**, *EMPRESS. III. Morphology, Stellar Population, and Dynamics of Extremely Metal-poor Galaxies (EMPGs): Are EMPGs Local Analogs of High- z Young Galaxies?*, [ApJ, 918, 54, 14, 2021](#)
- 56 **Valentino, F., Daddi, E., Puglisi, A., et al.**, *The effect of active galactic nuclei on the cold interstellar medium in distant star-forming galaxies*, [A&A, 654, A165, 2021](#)
- 55 **Laporte, N., Zitrin, A., Ellis, R. S., et al.**, *ALMA Lensing Cluster Survey: a strongly lensed multiply imaged dusty system at $z \geq 6$* , [MNRAS, 505, 4838-4846, 9, 2021](#)
- 54 **Jolly, J.-B., Knudsen, K., Laporte, N., et al.**, *ALMA Lensing Cluster Survey: A spectral stacking analysis of [C II] in lensed $z \sim 6$ galaxies*, [A&A, 652, A128, 16, 2021](#)
- 53 **Isobe, Y., Ouchi, M., Suzuki, A., et al.**, *EMPRESS. IV. Extremely Metal-poor Galaxies Including Very Low-mass Primordial Systems and 2%-3% (O/H): High (Fe/O) Suggestive of Metal Enrichment by Hypernovae/Pair-instability Supernovae*, [ApJ, 925, 111, 2022](#)
- 52 **Harikane, Y., Ono, Y., Ouchi, M., et al.**, *GOLDRUSH. IV. Luminosity Functions and Clustering Revealed with 4,000,000 Galaxies at z 2-7: Galaxy-AGN Transition, Star Formation Efficiency, and Implication for Evolution at $z > 10$* , [ApJS, 259, 20, 2022](#)
- 51 **Shibuya, T., Miura, N., Iwadate, K., et al.**, *Galaxy morphologies revealed with Subaru HSC and super-resolution techniques. I. Major merger fractions of $L_{UV} \simeq 3 - 15 L^*$ dropout galaxies at $z \simeq 4 - 7$* , [PASJ, 74, 73, 2022](#)
- 50 **Izumi, T., Matsuoka, Y., Fujimoto, S., et al.**, *Subaru High- z Exploration of Low-luminosity Quasars (SHELLQs). XIII. Large-scale Feedback and Star Formation in a Low-luminosity Quasar at $z = 7.07$ on the Local Black Hole to Host Mass Relation*, [ApJ, 914, 36, 17, 2021](#)
- 49 **Kojima, T., Ouchi, M., Rauch, M., et al.**, *EMPRESS. II. Highly Fe-enriched Metal-poor Galaxies with ~ 1.0 (Fe/O) Z_{\odot} and 0.02 (O/H) Z_{\odot} : Possible Traces of Supermassive ($> 300M_{\odot}$) Stars in Early Galaxies*, [ApJ, 913, 22, 20, 2021](#)
- 48 **Ono, Y., Itoh, R., Shibuya, T., et al.**, *SILVERRUSH X: Machine Learning-aided Selection of 9318 LAEs at $z = 2.2, 3.3, 4.9, 5.7, 6.6,$ and 7.0 from the HSC SSP and CHORUS Survey Data*, [ApJ, 911, 78, 20, 2021](#)
- 47 **Sugahara, Y., Inoue, A. K., Hashimoto, T., et al.**, *Big Three Dragons: A [N II] $122 \mu\text{m}$ Constraint and New Dust-continuum Detection of a $z = 7.15$ Bright Lyman-break Galaxy with ALMA*, [ApJ, 923, 5, 2021](#)
- 46 **Zavala, J. A., Casey, C. M., Manning, S. M., et al.**, *The Evolution of the IR Luminosity Function and Dust-obscured Star Formation over the Past 13 Billion Years*, [ApJ, 909, 165, 15, 2021](#)

- 45 **Caputi, K. I., Caminha, G. B., Fujimoto, S., et al.**, *ALMA Lensing Cluster Survey: An ALMA Galaxy Signposting a MUSE Galaxy Group at $z = 4.3$ Behind "El Gordo"*, [ApJ, 908, 146, 9, 2021](#)
- 44 **Loiacono, F., Decarli, R., Gruppioni, C., et al.**, *The ALPINE-ALMA [C II] survey. Luminosity function of serendipitous [C II] line emitters at $z \sim 5$* , [A&A, 646, A76, 18, 2021](#)
- 43 **Izumi, T., Onoue, M., Matsuoka, Y., et al.**, *Subaru High- z Exploration of Low-luminosity Quasars (SHELLQs). XII. Extended [C II] Structure (Merger or Outflow) in a $z = 6.72$ Red Quasar*, [ApJ, 908, 235, 10, 2021](#)
- 42 **Lagos, C. del P., da Cunha, E., Robotham, A. S. G., et al.**, *Physical properties and evolution of (sub-)millimetre-selected galaxies in the galaxy formation simulation SHARK*, [MNRAS, 499, 1948-1971, 24, 2020](#)
- 41 **Donevski, D., Lapi, A., Malek, K., et al.**, *In pursuit of giants. I. The evolution of the dust-to-stellar mass ratio in distant dusty galaxies*, [A&A, 644, A144, 25, 2020](#)
- 40 **Ishimoto, R., Kashikawa, N., Onoue, M., et al.**, *Subaru High- z Exploration of Low-luminosity Quasars (SHELLQs). XI. Proximity Zone Analysis for Faint Quasar Spectra at $z \sim 6$* , [ApJ, 903, 60, 11, 2020](#)
- 39 **Gruppioni, C., Béthermin, M., Loiacono, F., et al.**, *The ALPINE-ALMA [CII] survey. The nature, luminosity function, and star formation history of dusty galaxies up to $z \simeq 6$* , [A&A, 643, A8, 25, 2020](#)
- 38 **Le Fèvre, O., Béthermin, M., Faisst, A., et al.**, *The ALPINE-ALMA [CII] survey. Survey strategy, observations, and sample properties of 118 star-forming galaxies at $4 < z < 6$* , [A&A, 643, A1, 19, 2020](#)
- 37 **Dessauges-Zavadsky, M., Ginolfi, M., Pozzi, F., et al.**, *The ALPINE-ALMA [C II] survey. Molecular gas budget in the early Universe as traced by [C II]*, [A&A, 643, A5, 17, 2020](#)
- 36 **Cassata, P., Morselli, L., Faisst, A., et al.**, *The ALPINE-ALMA [CII] survey. Small $\text{Ly}\alpha$ -[CII] velocity offsets in main-sequence galaxies at $4.4 < z < 6$* , [A&A, 643, A6, 21, 2020](#)
- 35 **Ginolfi, M., Jones, G. C., Béthermin, M., et al.**, *The ALPINE-ALMA [CII] survey. Circumgalactic medium pollution and gas mixing by tidal stripping in a merging system at $z \sim 4.57$* , [A&A, 643, A7, 10, 2020](#)
- 34 **Béthermin, M., Fudamoto, Y., Ginolfi, M., et al.**, *The ALPINE-ALMA [CII] survey: Data processing, catalogs, and statistical source properties*, [A&A, 643, A2, 43, 2020](#)
- 33 **Schaerer, D., Ginolfi, M., Béthermin, M., et al.**, *The ALPINE-ALMA [C II] survey. Little to no evolution in the [C II]-SFR relation over the last 13 Gyr*, [A&A, 643, A3, 10, 2020](#)
- 32 **Fudamoto, Y., Oesch, P. A., Faisst, A., et al.**, *The ALPINE-ALMA [CII] survey. Dust attenuation properties and obscured star formation at $z \sim 4.4 - 5.8$* , [A&A, 643, A4, 13, 2020](#)
- 31 **Kato, N., Matsuoka, Y., Onoue, M., et al.**, *Subaru High- z Exploration of Low-Luminosity Quasars (SHELLQs). IX. Identification of two red quasars at $z > 5.6$* , [PASJ, 72, 84, 14, 2020](#)

- 30 **Yamaguchi, Y., Kohno, K., Hatsukade, B., et al.**, *ALMA twenty-six arcmin² survey of GOODS-S at one millimeter (ASAGAO): Millimeter properties of stellar mass selected galaxies*, [PASJ, 72, 69, 2020](#)
- 29 **Kojima, T., Ouchi, M., Rauch, M., et al.**, *Extremely Metal-poor Representatives Explored by the Subaru Survey (EMPRESS). I. A Successful Machine-learning Selection of Metal-poor Galaxies and the Discovery of a Galaxy with $M_{\star} < 10^6 M_{\odot}$ and $0.016 Z_{Z_{\odot}}$* , [ApJ, 898, 142, 2020](#)
- 28 **Silverman, J. D., Tang, S., Lee, K.-G., et al.**, *Dual Supermassive Black Holes at Close Separation Revealed by the Hyper Suprime-Cam Subaru Strategic Program*, [ApJ, 899, 154, 2020](#)
- 27 **Romano, M., Cassata, P., Morselli, L., et al.**, *The ALPINE-ALMA [C II] Survey: on the nature of an extremely obscured serendipitous galaxy*, [MNRAS, 496, 875-887, 13, 2020](#)
- 26 **Pizzati, E., Ferrara, A., Pallottini, A., et al.**, *Outflows and extended [C II] haloes in high-redshift galaxies*, [MNRAS, 495, 160-172, 13, 2020](#)
- 25 **Harikane, Y., Ouchi, M., Inoue, A. K., et al.**, *Large Population of ALMA Galaxies at $z > 6$ with Very High [O III] $88 \mu\text{m}$ to [C II] $158 \mu\text{m}$ Flux Ratios: Evidence of Extremely High Ionization Parameter or PDR Deficit?*, [ApJ, 896, 93, 19, 2020](#)
- 24 **Mukae, S., Ouchi, M., Cai, Z., et al.**, *Three-dimensional Distribution Map of H I Gas and Galaxies around an Enormous Ly α Nebula and Three QSOs at $z = 2.3$ Revealed by the H I Tomographic Mapping Technique*, [ApJ, 896, 45, 11, 2020](#)
- 23 **Faisst, A. L., Schaerer, D., Lemaux, B. C., et al.**, *The ALPINE-ALMA [C II] Survey: Multiwavelength Ancillary Data and Basic Physical Measurements*, [ApJS, 247, 61, 37, 2020](#)
- 22 **Mawatari, K., Inoue, A. K., Hashimoto, T., et al.**, *Balmer Break Galaxy Candidates at $z \sim 6$: A Potential View on the Star Formation Activity at $z \gtrsim 14$* , [ApJ, 889, 137, 20, 2020](#)
- 21 **Ginolfi, M., Jones, G. C., Béthermin, M., et al.**, *The ALPINE-ALMA [C II] survey: Star-formation-driven outflows and circumgalactic enrichment in the early Universe*, [A&A, 633, A90, 14, 2020](#)
- 20 **Izumi, T., Onoue, M., Matsuoka, Y., et al.**, *Subaru High- z Exploration of Low-Luminosity Quasars (SHELLQs). VIII. A less biased view of the early co-evolution of black holes and host galaxies*, [PASJ, 71, 111, 2019](#)
- 19 **Harikane, Y., Ouchi, M., Ono, Y., et al.**, *SILVERRUSH. VIII. Spectroscopic Identifications of Early Large-scale Structures with Protoclusters over 200 Mpc at $z \sim 6 - 7$: Strong Associations of Dusty Star-forming Galaxies*, [ApJ, 883, 142, 16, 2019](#)
- 18 **Yuma, S., Ouchi, M., Fujimoto, S., et al.**, *A Giant Green Pea Identified in the Spectroscopy of Spatially Extended [O III] Sources*, [ApJ, 882, 17, 16, 2019](#)
- 17 **Hayatsu, N. H., Ivison, R. J., Andreani, P., et al.**, *ADF22: Blind Detections of [C II] Line Emitters Shown to be Spurious*, [Research Notes of the American Astronomical Society, 3, 97, 2019](#)

- 16 **Higuchi, R., Ouchi, M., Ono, Y., et al.**, *SILVERRUSH. VII. Subaru/HSC Identifications of Protocluster Candidates at $z \sim 6 - 7$: Implications for Cosmic Reionization*, [ApJ, 879, 28, 15, 2019](#)
- 15 **Yamaguchi, Y., Kohno, K., Hatsukade, B., et al.**, *ALMA 26 arcmin² Survey of GOODS-S at 1 mm (ASAGAO): Near-infrared-dark Faint ALMA Sources*, [ApJ, 878, 73, 8, 2019](#)
- 14 **Ginolfi, M., Schneider, R., Valiante, R., et al.**, *The infrared-luminous progenitors of high- z quasars*, [MNRAS, 483, 1256-1264, 9, 2019](#)
- 13 **Hatsukade, B., Kohno, K., Yamaguchi, Y., et al.**, *ALMA twenty-six arcmin² survey of GOODS-S at one millimeter (ASAGAO): Source catalog and number counts*, [PASJ, 70, 105, 2018](#)
- 12 **Itoh, R., Ouchi, M., Zhang, H., et al.**, *CHORUS. II. Subaru/HSC Determination of the Ly α Luminosity Function at $z = 7.0$: Constraints on Cosmic Reionization Model Parameter*, [ApJ, 867, 46, 13, 2018](#)
- 11 **Izumi, T., Onoue, M., Shirakata, H., et al.**, *Subaru High- z Exploration of Low-Luminosity Quasars (SHELLQs). III. Star formation properties of the host galaxies at $z \gtrsim 6$ studied with ALMA*, [PASJ, 70, 36, 2018](#)
- 10 **Harikane, Y., Ouchi, M., Shibuya, T., et al.**, *SILVERRUSH. V. Census of Ly α , [O III] 5007, H α , and [C II] 158 μ m Line Emission with 1000 LAEs at $z = 4.9-7.0$ Revealed with Subaru/HSC*, [ApJ, 859, 84, 21, 2018](#)
- 9 **Gómez-Guijarro, C., Toft, S., Karim, A., et al.**, *Starburst to Quiescent from HST/ALMA: Stars and Dust Unveil Minor Mergers in Submillimeter Galaxies at $z \sim 4.5$* , [ApJ, 856, 121, 18, 2018](#)
- 8 **Ueda, Y., Hatsukade, B., Kohno, K., et al.**, *ALMA 26 arcmin² Survey of GOODS-S at One-millimeter (ASAGAO): X-Ray AGN Properties of Millimeter-selected Galaxies*, [ApJ, 853, 24, 11, 2018](#)
- 7 **Aihara, H., Arimoto, N., Armstrong, R., et al.**, *The Hyper Suprime-Cam SSP Survey: Overview and survey design*, [PASJ, 70, S4, 2018](#)
- 6 **Aihara, H., Armstrong, R., Bickerton, S., et al.**, *First data release of the Hyper Suprime-Cam Subaru Strategic Program*, [PASJ, 70, S8, 2018](#)
- 5 **Ferrara, A., Hirashita, H., Ouchi, M., et al.**, *The infrared-dark dust content of high redshift galaxies*, [MNRAS, 471, 5018-5024, 7, 2017](#)
- 4 **Roberts-Borsani, G. W., Jiménez-Donaire, M. J., Daprà, M., et al.**, *Multiwavelength Characterization of an ACT-selected, Lensed Dusty Star-forming Galaxy at $z = 2.64$* , [ApJ, 844, 110, 9, 2017](#)
- 3 **Yuma, S., Ouchi, M., Drake, A. B., et al.**, *Systematic Survey for [O II], [O III], and H α Blobs at $z = 0.1-1.5$: The Implication for Evolution of Galactic-scale Outflow*, [ApJ, 841, 93, 17, 2017](#)
- 2 **Hayatsu, N. H., Matsuda, Y., Umehata, H., et al.**, *ALMA deep field in SSA22: Blindly detected CO emitters and [C II] emitter candidates*, [PASJ, 69, 45, 2017](#)
- 1 **Umehata, H., Tamura, Y., Kohno, K., et al.**, *ALMA Deep Field in SSA22: Source Catalog and Number Counts*, [ApJ, 835, 98, 15, 2017](#)